

Automatic Lifejacket Light With Clip HL3 3764 ACR

The ACR HL3 automatic lifejacket light is designed to provide reliable signaling when it matters most. With clip mounting, water-activated operation and a white strobe LED, it combines convenience, visibility and safety for inflatable lifejackets.

COD EUROSUL: 005232

IMPA: ---

Part Number: ---

Approvals:



Specifications

Overview

ACR HL3 automatic lifejacket light with clip mounting and water-contact activation for fresh or salt water. It emits a white strobe LED to improve user visibility in emergency situations.

Application and use

Suitable for inflatable lifejackets, especially on vessels and in marine operations that require reliable personal signaling. The manual shutoff button helps control the light after rescue or during handling.

Construction characteristics

Material	Polycarbonate
Color	Semi-transparent
Fixing clip included	Yes
Light source	White LED
Battery	Non-rechargeable CR2 lithium battery

Technical specifications

Model	HL3
Part number	3764
IMPA	330143
Nominal voltage	3.0 VDC
Luminous intensity	0.75 cd
Flash frequency	50-70 flashes/min
Autonomy	20 h
Operating temperature	-1 to 30 °C

Performance

Protection	IP68 up to 3 m
Weight	28 g
General service life	5 years
Storage temperature	-30 to 65 °C

Compliance and certification

SOLAS	Reg. III/7, III/22, III/26, III/32, III/34; MSC.48(66); MSC.1/Circ.1628
MED	MED/1.2c; Module B; Module D
USCG	161.112
RINA	EC TYPE EXAMINATION

Marking and traceability

SKU	005232
Manufacturer part number	3764
IMPA	330143

Handling, service life and disposal

Store in a dry place, away from excessive heat and within the recommended temperature range. As it uses a non-rechargeable lithium battery, replacement and disposal should follow applicable environmental practices and the manufacturer's guidance.